842 Nonconformance Report

Functional Group= NC

Purpose: This Draft Standard for Trial Use contains the format and establishes the data contents of the Nonconformance Report Transaction Set (842) for use within the context of an Electronic Data Interchange (EDI) environment. The transaction set can be used to report products and processes that do not fulfill specifications or requirements. The Nonconformance Report Transaction Set provides the ability for the sender to report the nonconformance at the level of detail that is required. It also provides the ability to report the specific nonconformances of a component/part while identifying the assembly as the product that is in nonconformance. The Nonconformance Report Transaction Set may be used to report, initiate, or request actions related to the nonconformance being reported. Financial and accounting information is provided for reporting purposes only. The Nonconformance Report Transaction Set has the capability to report the cause of the nonconformance and to state the proposed action to be followed to prevent a repetition of the problem.

DLMS Note:

- 1. Use a single occurrence of this transaction to transmit a single Stock Screening Reply.
- 2. Users operating under the Defense Logistics Management Standards (DLMS) must reference the Unit of Issue and Purchase Unit Conversion table which can be found on the Enterprise Business Standards Office (EBSO) Web site at www.dla.mil/does/DLMS
- 3. This DLMS Implementation Convention (IC) incorporates Proposed DLMS Change (PDC) and Approved DLMS Change (ADC) listed. PDCs/ADCs are available from the EBSO Web site: http://www.dla.mil/HQ/InformationOperations/DLMS/eLibrary/Changes/processchanges/
- ADC 240, DLMS Transactions for Stock Screening Request/Reply and WebSDR Enhanced Storage Quality Control Reports (SQCRs)
- ADC 371, Marine Corps SDR Distribution Rules and Navy and Marine Corps SDR and SQCR Procedures and Data Content under BRAC
- ADC 381, Procedures and Additional Data Content supporting Requisitions, Requisition Alerts, and Unit of Use Requirements under Navy BRAC SS&D/IMSP
- Approved Addendum ADC 381A, Procedures and Additional Data Content supporting Unit of Use Requirements under Marine Corps BRAC Storage and Distribution
- Organizational Name and Other Non-Substantive (Administrative) Updates Completed on September 23, 2014.
- ADC 1045, Revise the DLMS Stock Screening Request, Storage Quality Control Report (SQCR) and Associated Replies to Add Capability for Transmission via new WebSS and WebSQCR Modules and Administrative Updates
- ADC 1161, Update uniform Procurement Instrument Identifier (PIID) numbering system in the Federal/DLMS Implementation Conventions and DLMS Manuals (Supply/Contract Administration)
- Administrative Update to Reflect Realignment to Recognize DLMS Program Office Completed on January 03, 2017
- ADC 1254, Remove Unit of Measure Code Validation from DLMS XML Schemas
- Administrative Update to Reflect Realignment of DLMS Program Office to Enterprise Business Standards Office (EBSO) - Completed on August 09, 2018
- ADC 1367. Administrative Update to Convert Federal Notes to DLMS Notes within DLMS Implementation Conventions

Heading:

	<u>Pos</u>	<u>ld</u>	Segment Name	Req	Max Use	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
	0100	ST	Transaction Set Header	M	1			Must use
	0200	BNR	Beginning Segment For Nonconformance Report	M	1			Must use
*	0300	REF	Reference Identification	0	>1			
*	0400	DTM	Date/Time Reference	0	>1			
_*	0500	PID	Product/Item Description	0	>1			
	* LOOP	ID - ME	<u>A</u>			<u>>1</u>		
	0600	MEA	Measurements	0	1			

004030F842C1RA07 February 12, 2021

<u>Pos</u>	<u>ld</u>	Segment Name	Req	Max Use	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
0700	DTM	Date/Time Reference	0	>1			
0800	REF	Reference Identification	0	>1			
* L00F	P ID - PW	<u>K</u>			<u>>1</u>		
0900	PWK	Paperwork	0	1			
1000	REF	Reference Identification	0	>1			
1100	DTM	Date/Time Reference	0	>1			
LOOP	<u>ID - N1</u>				<u>>1</u>		
1200	N1	Name	0	1			Used
* 1300	N2	Additional Name Information	0	2			
* 1400	N3	Address Information	0	2			
* 1500	N4	Geographic Location	0	1			
* 1600	REF	Reference Identification	0	>1			
1700	PER	Administrative Communications Contact	0	>1			Used

Detail:

<u>Pos</u>	<u>ld</u>	Segment Name	Req	Max Use	Repeat	<u>Notes</u>	<u>Usage</u>
LOOP I	<u>D - HL</u>				<u>>1</u>	N2/0100L	
0100	HL	Hierarchical Level	M	1		N2/0100	Must use
0200	LIN	Item Identification	0	1			Used
* 0300	PID	Product/Item Description	0	>1			
* 0400	PRS	Part Release Status	0	>1			
* 0500	CID	Characteristic/Class ID	0	>1			
0600	DTM	Date/Time Reference	0	>1			Used
0700	REF	Reference Identification	0	>1			Used
0750	CS	Contract Summary	0	1			Used
0800	QTY	Quantity	0	>1			Used
* 0900	TMD	Test Method	0	1			
* 1000	PSD	Physical Sample Description	0	1			
* 1020	PWK	Paperwork	0	>1			
LOOP I	<u>D - LM</u>				<u>>1</u>		
1040	LM	Code Source Information	0	1			Used
1050	LQ	Industry Code	М	>1			Must use
* LOOP	ID - ME	<u>4</u>			<u>>1</u>		
1100	MEA	Measurements	0	1			
1200	DTM	Date/Time Reference	0	>1			
1300	REF	Reference Identification	0	>1			***
* LOOP	ID - FA1				<u>>1</u>		
1350	FA1	Type of Financial Accounting Data	0	1			
1360	FA2	Accounting Data	М	>1			
* LOOP	ID - SPS	3			<u>>1</u>		
1400	SPS	Sampling Parameters for	0	1			

<u>Pos</u>	<u>ld</u>	Segment Name	Req	Max Use	Repeat	<u>Notes</u>	<u>Usage</u>
		Summary Statistics	_				
1500	REF	Reference Identification	0	>1			
1600	PSD	Physical Sample Description	0	1			
LOOP	<u>ID - MEA</u>				<u>>1</u>		
1700	MEA	Measurements	0	1			
1800	DTM	Date/Time Reference	0	>1			
1900	REF	Reference Identification	0	>1			
LOOP	ID - STA				<u>>1</u>		
2000	STA	Statistics	0	1			
2100	DTM	Date/Time Reference	0	>1			
2200	REF	Reference Identification	0	>1			
LOOP	ID - NCD				<u>>1</u>		
2300	NCD	Nonconformance Description	0	1			Used
2400	NTE	Note/Special Instruction	0	>1			Used
* 2500	DTM	Date/Time Reference	0	>1			
* 2600	REF	Reference Identification	0	>1			
* 2700	QTY	Quantity	0	>1			
* 2730	AMT	Monetary Amount	0	>1			
* 2740	MEA	Measurements	0	>1			
* 2750	RC	Root Cause	0	>1			
* LOOF	D - EFI				<u>>1</u>		
2760	EFI	Electronic Format Identification	0	1			
2770	BIN	Binary Data	М	1			
* LOOF	P ID - N1				<u>>1</u>		
* 2800	 N1	Name	0	1	_		
* 2900	N2	Additional Name Information	0	2			
* 3000	N3	Address Information	0	2			
* 3100	N4	Geographic Location	0	1			
* 3200	REF	Reference Identification	0	>1			
* 3300	PER	Administrative Communications Contact	0	>1			
* LOOF	P ID - LM				<u>>1</u>		
* 3330	LM	Code Source Information	0	1			
* 3340	LQ	Industry Code	М	>1			
* LOOF	P ID - NC	4			<u>>1</u>		
* 3400	NCA	Nonconformance Action	0	1			
* 3500	NTE	Note/Special Instruction	0	>1			
* 3600	DTM	Date/Time Reference	0	>1			
* 3700	REF	Reference Identification	0	>1			
	P ID - PW				<u>>1</u>		
* 3800	PWK	– Paperwork	0	1			

<u>Pos</u>	<u>ld</u>	Segment Name	Req	Max Use	<u>Repeat</u>	<u>Notes</u>	<u>Usage</u>
* 3900	REF	Reference Identification	0	>1			
* 4000	DTM	Date/Time Reference	0	>1			
<u>* LOO</u>	P ID - N1				<u>>1</u>		
* 4100	N1	Name	0	1			
* 4200	N2	Additional Name Information	0	2			
* 4300	N3	Address Information	0	2			
* 4400	N4	Geographic Location	0	1			
* 4500	REF	Reference Identification	0	>1			
* 4600	PER	Administrative Communications Contact	0	>1			
* LOO	P ID - LM				<u>>1</u>		
* 4640	LM	Code Source Information	0	1			
* 4650	LQ	Industry Code	М	>1			
* LOO	P ID - FA1				<u>>1</u>		
* 4660	FA1	Type of Financial Accounting Data	0	1			
* 4670	FA2	Accounting Data	М	>1			
4700	SE	Transaction Set Trailer	М	1			Must use

Notes:

- 2/0100L The HL levels are item, component, product characteristic, report, and serial number. Valid HL Parent-Child relationships are 1) item component, 2) item product characteristic, 3) component product characteristic, 4) report item, 5) item serial number, and 6) component serial number.
- 2/0100 The HL levels are item, component, product characteristic, report, and serial number. Valid HL Parent-Child relationships are 1) item component, 2) item product characteristic, 3) component product characteristic, 4) report item, 5) item serial number, and 6) component serial number.

ST Transaction Set Header

Pos: 0100 Max: 1 Heading - Mandatory Loop: N/A Elements: 3

User Option (Usage): Must use

Purpose: To indicate the start of a transaction set and to assign a control number

Semantics:

- 1. The transaction set identifier (ST01) is used by the translation routines of the interchange partners to select the appropriate transaction set definition (e.g., 810 selects the Invoice Transaction Set).
- 2. The implementation convention reference (ST03) is used by the translation routines of the interchange partners to select the appropriate implementation convention to match the transaction set definition.

Ref ST01	<u>ld</u> 143	Element Name Transaction Set Identifier Code	Req M	Type ID	Min/Max 3/3	<u>Usage</u> Must use	Rep 1
		Description: Code uniquely identifying a Transaction Set					
		Code Name842 Nonconformance Report					
ST02	329	Transaction Set Control Number	М	AN	4/9	Must use	1
		Description: Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set					
		DLMS Note: A unique number assigned by the originator of the transaction set, or the originator's application program.					
ST03	1705	Implementation Convention Reference	0	AN	1/35	Used	1
		Description: Reference assigned to identify Implementation Convention					
		DLMS Note: Use to indicate this transmission uses the 842C/R DLMS Implementation Convention (IC). Enter the DLMS IC: 004030F842C0RA00.					

BNR Beginning Segment For Nonconformance Report

Pos: 0200 Max: 1 Heading - Mandatory Loop: N/A Elements: 5

User Option (Usage): Must use

Purpose: To indicate the beginning of a Nonconformance Report Transaction Set

Semantics:

- 1. BNR02 is the nonconformance report identifier number.
- 2. BNR03 is the date that the nonconformance report was created.
- 3. BNR04 is the time that the nonconformance report was created.

Comments:

1. BNR05 indicates the status or intention of the nonconformance report.

Element Summary:

<u>Ref</u>	<u>ld</u>	Element Name	Req	<u>Type</u>	Min/Max	<u>Usage</u>	<u>Rep</u>
BNR01	353	Transaction Set Purpose Code	M	ID	2/2	Must use	1

Description: Code identifying purpose of transaction set

Code Name

10 Not Found

DLMS Note:

Use to identify a reply to a stock screening request for which no corresponding material was located.

12 Not Processed

DLMS Note:

Use in response to a stock screening correction to indicate that the storage location has completed the stock screening action and cannot reopen for additional information.

17 Cancel, to be Reissued

DLMS Note:

Use to cancel/delete a reply to a stock screening request. A corrected reply will be provided if applicable.

25 Incremental

DLMS Note:

Use to identify an interim reply to a stock screening request. Use only by exception and provide comments to identify the reason for an interim reply.

53 Completion

DLMS Note:

Use to identify a reply to a stock screening request for which corresponding material was located at the storage location.

BNR02 127 Reference Identification M AN 1/50 Must use 1

Description: Reference information as defined for a particular Transaction Set or as specified by the Reference

Ref	<u>ld</u>	Element Name Identification Qualifier DLMS Note: 1. Enter "U" to identify the Unit of Use Indicator. When included, the quantity and unit of measure values associated with this transaction are applicable to the unit of use. This applies when the materiel identification is by Local Stock Number assigned for unit of use. This is an Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 371. 2. When not used for Unit of Use Indicator, must enter Z to satisfy ANSI syntax.	Req	Type	Min/Max	<u>Usage</u>	Rep
BNR03	373	Date Description: Date expressed as CCYYMMDD where CC represents the first two digits of the calendar year DLMS Note: This date corresponds to the Universal Time Coordinate (UTC).	M	DT	8/8	Must use	1
BNR04	337	Time Description: Time expressed in 24-hour clock time as follows: HHMM, or HHMMSS, or HHMMSSDD, where H = hours (00-23), M = minutes (00-59), S = integer seconds (00-59) and DD = decimal seconds; decimal seconds are expressed as follows: D = tenths (0-9) and DD = hundredths (00-99) DLMS Note: Express the originating activity's time in Universal Time Coordinate (UTC). Express time in a four-position (HHMM) format.	0	TM	4/8	Used	1
BNR06	640	Transaction Type Code Description: Code specifying the type of transaction Code Name G3 Confirmation Response DLMS Note: 1. Use to identify a stock s 2. Refer to ADC 1045; targ ZB Report of Work Candidate	_		2/2 n 1Q FY 2017.	Used	1

Code Name

DLMS Note:

- 1. Use to identify a stock screening reply.
- 2. Use of this qualifier to be eliminated upon implementation of ADC 1045.

N1 Name

Pos: 1200 Max: 1 Heading - Optional Loop: N1 Elements: 4

User Option (Usage): Used

Purpose: To identify a party by type of organization, name, and code

Syntax Rules:

- 1. R0203 At least one of N102 or N103 is required.
- 2. P0304 If either N103 or N104 is present, then the other is required.

Comments:

- This segment, used alone, provides the most efficient method of providing organizational identification. To obtain this efficiency the "ID Code" (N104) must provide a key to the table maintained by the transaction processing party.
- 2. N105 and N106 further define the type of entity in N101.

DLMS Note:

Must use to identify the organizations sending and receiving the transaction set.

used for Identification Code (67)

emem.	Juillilla	u y .										
Ref	<u>ld</u>	Eleme	ent Name	<u>Req</u>	<u>Type</u>	Min/Max	<u>Usage</u>	<u>Rep</u>				
N101	98	Entity	Identifier Code	M	ID	2/3	Must use	1				
		organi location	iption: Code identifying an zational entity, a physical en, property or an individual Note: The following codes athorized.									
	<u>ld</u>	Code	<u>Name</u>									
	HA HA		Owner									
			DLMS Note:									
			 Use to identify material ov addressed. Refer to ADC 1045; target 				ning Reply is					
		SB										
		SB Storage Area DLMS Note:										
			Use to identify the Distribution Depot or other storage location sending the reply.									
		ICP	Inventory Control Point									
			DLMS Note:									
			1. Use to identify materiel ow	ner/ma	nager to	receive the re	ply.					
			2. Use of this qualifier to be 6 2017).	eliminat	ed upon	implementatio	n of ADC 1045 (1Q FY				
N103	66	Identi	fication Code Qualifier	Χ	ID	1/2	Used	1				
			iption: Code designating the n/method of code structure									

		CodeNameM4Department of Defense Routing	ıg Ident	ifier Code	(RIC)		
N104	67	Identification Code	Χ	AN	2/80	Used	1
		Description: Code identifying a party or other code					
N106	98	Entity Identifier Code	0	ID	2/3	Used	1
		Description: Code identifying an organizational entity, a physical location, property or an individual					
		Code Name					

FR Message From

DLMS Note:

Use to indicate the organization cited above is originating the transaction set.

TO Message To

DLMS Note:

Use to indicate the organization cited above is receiving the transaction set.

PER Administrative Communications Contact

Pos: 1700 Max: >1 Heading - Optional Loop: N1 Elements: 9

User Option (Usage): Used

Purpose: To identify a person or office to whom administrative communications should be directed

Syntax Rules:

- 1. P0304 If either PER03 or PER04 is present, then the other is required.
- 2. P0506 If either PER05 or PER06 is present, then the other is required.
- 3. P0708 If either PER07 or PER08 is present, then the other is required.

DLMS Note:

Use a second repetition if needed to identify additional communication numbers. Must provide email address and at least one phone number.

<u>Ref</u>	<u>ld</u>	Element Name	Req	<u>Type</u>	Min/Max	<u>Usage</u>	<u>Rep</u>
PER01	366	Contact Function Code	М	ID	2/2	Must use	1
		Description: Code identifying the major duty or responsibility of the person or group named	•				
		Code Name AA Authorized Representative DLMS Note: Use to identify storage local		nt of cont	act information		
PER02	93	Name	0	AN	1/60	Used	1
		Description: Free-form name					
PER03	365	Communication Number Qualifier	Х	ID	2/2	Used	1
		Description: Code identifying the type of communication number	•				
		Code Name FX Facsimile DLMS Note: 1. Use for the commercial 2. Refer to ADC 1045; ta TE Telephone DLMS Note: Use to identify the commercial preparer.	rget imple	mentatio		screening reques	st
PER04	364	Communication Number	Х	AN	1/256	Used	1
		Description: Complete communications number including	9				

<u>Ref</u>	<u>ld</u>	Element Name country or area code when applicable	<u>Req</u>	<u>Type</u>	Min/Max	<u>Usage</u>	<u>Rep</u>
PER05	365	Communication Number Qualifier	Х	ID	2/2	Used	1
		Description: Code identifying the type of communication number	е				
		<u>Code</u> <u>Name</u> EM Electronic Mail					
		DLMS Note: Use to identify the email	address of	f the stoc	k screening red	quest preparer.	
PER06	364	Communication Number	Х	AN	1/256	Used	1
		Description: Complete communications number includin country or area code when applicable	g				
PER07	365	Communication Number Qualifier	X	ID	2/2	Used	1
		Description: Code identifying the type of communication number	Э				
		CodeNameAUDefense Switched NetworWFWork Facsimile Number	k				
		DLMS Note: 1. Use for the DSN fax r	number.				
		2. Refer to ADC 1045; to	arget imple	mentatio	n 1Q FY 2017.		
PER08	364	Communication Number	Χ	AN	1/256	Used	1
		Description: Complete communications number includin country or area code when applicable	g				
PER09	443	Contact Inquiry Reference	0	AN	1/20	Used	1
		Description: Additional reference number or description to clarify a contact number DLMS Note: 1. Use for the office symbol/activity code and/or position title of the requestor. (Available only on the first iteration of the PER segment.)					
		2. Refer to ADC 1045; target implementation 1Q FY 2017.					

Hierarchical Level

Pos: 0100 Max: 1 **Detail - Mandatory** Elements: 2 .oop: HL

User Option (Usage): Must use

Purpose: To identify dependencies among and the content of hierarchically related groups of data segments

Comments:

- 1. The HL segment is used to identify levels of detail information using a hierarchical structure, such as relating line-item data to shipment data, and packaging data to line-item data.
- 2. The HL segment defines a top-down/left-right ordered structure.
- 3. HL01 shall contain a unique alphanumeric number for each occurrence of the HL segment in the transaction set. For example, HL01 could be used to indicate the number of occurrences of the HL segment, in which case the value of HL01 would be "1" for the initial HL segment and would be incremented by one in each subsequent HL segment within the transaction.
- 4. HL02 identifies the hierarchical ID number of the HL segment to which the current HL segment is subordinate.
- 5. HL03 indicates the context of the series of segments following the current HL segment up to the next occurrence of an HL segment in the transaction. For example, HL03 is used to indicate that subsequent segments in the HL loop form a logical grouping of data referring to shipment, order, or item-level information.
- 6. HL04 indicates whether or not there are subordinate (or child) HL segments related to the current HL seament.

Element Summary:

<u>Ref</u>	<u>ld</u>	Element Name	Req	<u>Type</u>	Min/Max	<u>Usage</u>	<u>Rep</u>
HL01	628	Hierarchical ID Number	M	AN	1/12	Must use	1
		Description: A unique number assigned by the sender to identify a particular data segment in a hierarchical structure					
		DLMS Note: Increase the value in this field by 1 for each iteration of the HL loop.					
HL03	735	Hierarchical Level Code	М	ID	1/2	Must use	1
		Description: Code defining the characteristic of a level in a hierarchical structure					
		Code Name					

RB Response

DLMS Note:

Use to indicate the summary level reply information.

RC Response Details

DLMS Note:

- 1. Use to indicate the detail level information.
- 2. Use multiple repetitions of this HL loop to report results of screened materiel. Use a separate loop for each combination of part number/CAGE; contract/call/CLIN: and condition.

I IN Item Identification

Pos: 0200 Max: 1 Detail - Optional Loop: HL Elements: 4

User Option (Usage): Used

Purpose: To specify basic item identification data

Syntax Rules:

- 1. P0405 If either LIN04 or LIN05 is present, then the other is required.
- 2. P0607 If either LIN06 or LIN07 is present, then the other is required.
- 3. P0809 If either LIN08 or LIN09 is present, then the other is required.
- 4. P1011 If either LIN10 or LIN11 is present, then the other is required.
- 5. P1213 If either LIN12 or LIN13 is present, then the other is required.
- 6. P1415 If either LIN14 or LIN15 is present, then the other is required.
- 7. P1617 If either LIN16 or LIN17 is present, then the other is required.
- 8. P1819 If either LIN18 or LIN19 is present, then the other is required.
- 9. P2021 If either LIN20 or LIN21 is present, then the other is required.
- 10. P2223 If either LIN22 or LIN23 is present, then the other is required.
- 11. P2425 If either LIN24 or LIN25 is present, then the other is required.
- 12. P2627 If either LIN26 or LIN27 is present, then the other is required.
- 13. P2829 If either LIN28 or LIN29 is present, then the other is required.
- 14. P3031 If either LIN30 or LIN31 is present, then the other is required.

Semantics:

1. LIN01 is the line item identification

Comments:

- 1. See the Data Dictionary for a complete list of IDs.
- 2. LIN02 through LIN31 provide for fifteen different product/service IDs for each item. For example: Case, Color, Drawing No., U.P.C. No., ISBN No., Model No., or SKU.

DLMS Note:

- 1. Use this segment in the summary level response loop to identify the primary method of identification for material screened.
- 2. Use this segment in the detail level response loop to identify a specific part number/CAGE code combination applicable to this loop.

Element Summary:

<u>Ref</u>	<u>ld</u>	Element Name	<u>Req</u>	<u>Type</u>	Min/Max	<u>Usage</u>	<u>Rep</u>
LIN02	235	Product/Service ID Qualifier	М	ID	2/2	Must use	1

Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)

Code Name

FS National Stock Number

DLMS Note:

Use to indicate the NSN for the screened materiel.

Code	Name
------	------

MG Manufacturer's Part Number

DLMS Note:

Use to identify the Manufacturer Part Number for the screened materiel.

SW Stock Number

DLMS Note:

- 1. Use to identify the local stock number (LSN).
- 2. When used for a unit of use LSN applicable to NSN materiel, the applicable NSN will be included for cross-reference.
- 3. When used for a unit of use LSN applicable to part numbered items, the original part-numbered item LSN will also be included for cross-reference.
- 4. Authorized DLMS enhancement under DLA industrial activity support agreement. Refer to ADC 381/Approved Addendum 381A.

LIN03	234	Product/Service ID	M	AN	1/48	Must use	1
		Description: Identifying number for a product or service					
LIN04	235	Product/Service ID Qualifier	X	ID	2/2	Used	1

Description: Code identifying the type/source of the descriptive number used in Product/Service ID (234)

Code Name

FS National Stock Number

DLMS Note:

- 1. Use to identify the NSN.
- 2. The NSN is provided as a cross-reference when unit of use indicator is included and the Local Stock Number (LSN) is identified as the primary material identification. Authorized DLMS enhancement under DLA industrial activity support agreement.
- SW Stock Number

DLMS Note:

- 1. Use to identify the local stock number (LSN).
- 2. The LSN is provided as a cross-reference when unit of use indicator is included and the unit of use LSN is identified as the primary materiel identification.

 Authorized DLMS enhancement under DLA industrial activity support agreement
- ZB Commercial and Government Entity (CAGE) Code

DLMS Note:

Use with part number to identify the manufacturer's CAGE.

LIN05 234 Product/Service ID X AN 1/48 Used 1

Description: Identifying number

for a product or service

DTM Date/Time Reference

Pos: 0600 Max: >1
Detail - Optional
Loop: HL Elements: 2

User Option (Usage): Used

Purpose: To specify pertinent dates and times

Syntax Rules:

- 1. R020305 At least one of DTM02, DTM03 or DTM05 is required.
- 2. C0403 If DTM04 is present, then DTM03 is required.
- 3. P0506 If either DTM05 or DTM06 is present, then the other is required.

Element Summary:

Ref DTM01	<u>ld</u> 374		ent <u>Name</u> Time Qualifier	Req M	Type ID	Min/Max 3/3	<u>Usage</u> Must use	<u>Rep</u> 1
			ription: Code specifying type e or time, or both date and					
		Code	<u>Name</u>					
		177	Cancellation					
			DLMS Note:					
			Use to indicate the date a st	ock scr	eening re	equest is cance	elled.	
		621	Reported					
			DLMS Note:					
			Use to indicate the date stoofound).	ck scree	ening rest	ults are reporte	ed (materiel found	d or not
		AAL	Installment Date					
			DLMS Note:					
			Use to indicate an interim re	ply date) .			
DTM02	373	Date		X	DT	8/8	Used	1

Description: Date expressed as CCYYMMDD where CC represents the first two digits of the calendar year

REF Reference Identification

Pos: 0700 Max: >1 Detail - Optional Loop: HL Elements: 4

User Option (Usage): Used

Purpose: To specify identifying information

Syntax Rules:

1. R0203 - At least one of REF02 or REF03 is required.

Semantics:

1. REF04 contains data relating to the value cited in REF02.

DLMS Note:

- 1. Use only in the summary level response loop.
- 2. Must use to identify the controlling number(s) assigned by the owner/manager for the stock screening request.
- 3. Must use to identify the controlling number assigned by the storage location for identification of this reply.
- 4. Use to perpetuate SDR or PQDR reference numbers from the screening request.

Element Summary:

<u>Ref</u>	<u>ld</u>	Element Name	Req	<u>Type</u>	Min/Max	<u>Usage</u>	<u>Rep</u>
REF01	128	Reference Identification Qualifier	M	ID	2/3	Must use	1

Description: Code qualifying the

Reference Identification

Code Name

4L Location-specific Services Reference Number

DLMS Note:

Must use to identify the reference number provided by the storage location to identify their screening reply. Identify the number in REF02 and the originating system e.g. ADRS for Distribution Standard System, in REF03.

IL Internal Order Number

DLMS Note:

- 1. Use to enter the internal order number (ION).
- 2. Refer to ADC 1045; target implementation 1Q FY 2017.
- NN Nonconformance Report Number

DLMS Note:

Use to identify SDR document number for cross reference when the stock screening request was triggered by a SDR when applicable.

QR Quality Report Number

DLMS Note:

Use to identify the PQDR report number for cross reference when the stock screening request was triggered by a PQDR when applicable. Up to 5 PQDR RCNs may be entered.

TN Transaction Reference Number

DLMS Note:

Code Name

Must use to provide unique document number associated with the screening request.

YM Resource Screening Reference

DLMS Note:

- 1. Use to identify the originator's system assigned control number. Must use to identify the WebSS-assigned control number. Use multiple occurrences as needed.
- 2. Identify the number in REF02 and the associated system e.g., WebSS or EBS for DLA, in REF03.
- 3. The screening request control number is defined as 9 positions alphanumeric.

			3. The screening request (control nu	imber is a	enneu as 9 p	oosilions alphanum	ieric.
REF02	127	Refere	ence Identification	X	AN	1/50	Used	1
		informa particu specifi	ption: Reference ation as defined for a lar Transaction Set or as ed by the Reference cation Qualifier					
REF03	352	Descri	ption	Χ	AN	1/80	Used	1
		descrip data el DLMS system referen	ption: A free-form below to clarify the related ements and their content Note: Use to identify the associated with the requestice/control number, e.g., S, EBS, ADRS.	st				
REF04	C040	Refere	ence Identifier	0	Comp		Used	1
		more ridentifi by the Synta 1. P03	04 - If either C04003 or 4 is present, then the other	i				

REF04-01 128 Reference Identification Qualifier M ID

Description: Code qualifying the

2. P0506 - If either C04005 or C04006 is present, then the other

Reference Identification

Code Name

is required.

W8 Suffix

DLMS Note:

1. When citing the SDR document number (using Nonconformance Report Number, Code NN), use to identify the document number suffix if one is provided.

2/3

Must use

1

2. For W8: field length = 1.

ADC 240, 371, 381, 381A, 1045, 1161 and 1254

DLM 4000.25

RefIdElement NameReqTypeMin/MaxUsageRepREF04-02127Reference IdentificationMAN1/50Must use1

Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier

CS Contract Summary

Pos: 0750 Max: 1

Detail - Optional

Loop: HL Elements: 4

User Option (Usage): Used

Purpose: To provide information about a contract

Syntax Rules:

1. P0405 - If either CS04 or CS05 is present, then the other is required.

Semantics:

- 1. CS09 is the permissible overage as a percentage of the total contract line item number (CLIN) quantity.
- 2. CS10 is the permissible shortage as a percentage of the total contract line item number (CLIN) quantity.
- 3. CS11 is the permissible overage dollar value specified by the contract above which discrepancy action is taken.
- 4. CS14 is the Unit of Measure stipulated in the contract.
- 5. CS15 is the contract line item number (CLIN) unit price specified in the contract.
- 6. CS17 conveys the Critical Application Indicator. A "Y" indicates that a Critical Application Indicator is specified in the contract; an "N" indicates that no Critical Application Indicator is specified in the contract.
- 7. CS18 conveys the Special Requirements Indicator. A "Y" indicates that a Special Requirements Indicator (requiring special testing and or evaluation) is specified in the contract; an "N" indicates that no Special Requirements Indicator is specified in the contract.

Comments:

- 1. CS04 may be used to identify the Contract Line Item Number (CLIN) or Extended (or Exhibit) Line Item Number (ELIN).
- 2. CS07 and CS13 can be used to indicate two different types of special services required.

DLMS Note:

Use only in detail response loop.

Ref	<u>ld</u>	Element Name	Req	Type	Min/Max	<u>Usage</u>	Rep
CS01	- 367	Contract Number	0	AN	1/30	Used	1
		Description: Contract number DLMS Note: Use to identify the procurement instrument identifier (PIID). Use the legacy procurement instrument identification number (PIIN) pending transition to the PIID. When procurement is authorized under a PIID call/order number (F in 9th position), provide the value in the PIID field if screening for a specific call/order. Otherwise use the base PIID. Refer to ADC 1161.					
CS03	328	Release Number	0	AN	1/30	Used	1
		Description: Number identifying a release against a Purchase Order					

DLM 4000.25

Ref	<u>ld</u>	previously placed by the parties involved in the transaction DLMS Note: 1. Used to identify the legacy four-position call/order	Req	<u>Type</u>	<u>Min/Max</u>	<u>Usage</u>	<u>Rep</u>
0004 400		number associated with the PIIN. 2. Do not use for the PIID call/order number. The PIID call/order number is mapped to CS01. Refer to ADC 1161.					
CS04	128	Reference Identification Qualifier	· X	ID	2/3	Used	1
		Description: Code qualifying the Reference Identification					
		Code Name C7 Contract Line Item Number					
		DLMS Note: Used to identify the contract	ct line ite	m (CLIN)	number/subCl	LIN. as applicabl	le.
CS05	127	Reference Identification	Х	AN	1/50	Used	1
		Description: Reference information as defined for a particular Transaction Set or as specified by the Reference Identification Qualifier					

QTY Quantity

Pos: 0800 Max: >1

Detail - Optional

Loop: HL Elements: 3

User Option (Usage): Used

Purpose: To specify quantity information

Syntax Rules:

- 1. R0204 At least one of QTY02 or QTY04 is required.
- 2. E0204 Only one of QTY02 or QTY04 may be present.

Semantics:

1. QTY04 is used when the quantity is non-numeric.

DLMS Note:

Use only in detail level response loop.

Ref	<u>ld</u>	Eleme	ent Name	Req	<u>Type</u>	Min/Max	<u>Usage</u>	Rep
QTY01	673	Quan	tity Qualifier	M	ID	2/2	Must use	1
			iption: Code specifying the f quantity					
		Code	<u>Name</u>					
		17	Quantity on Hand					
			DLMS Note:					
			Use to identify the quantity s contract information, and sup					ion,
			Field length = 9					
QTY02	380	Quan	tity	Х	R	1/15	Used	1
		Descr quanti	iption: Numeric value of ty					
QTY03	C001	Comp	osite Unit of Measure	0	Comp		Used	1
		compo	ription: To identify a site unit of measure(See as Appendix for examples of					
QTY03-01	355	Unit o	or Basis for Measurement	М	ID	2/2	Must use	1
		units i expres	ription: Code specifying the n which a value is being ssed, or manner in which a urement has been taken					
			Note: 1. Use to identify the f Issue.					
			MS users see the DLMS Unit ue and Purchase Unit					

ADC 240, 371, 381, 381A, 1045, 1161 and 1254

DLM 4000.25

Ref Id Element Name Req Type Min/Max Usage Rep

Conversion Table for available codes.

LM Code Source Information

Pos: 1040 Max: 1 **Detail - Optional** Loop: LM Elements: 1

User Option (Usage): Used

Purpose: To transmit standard code list identification information

Comments:

1. LM02 identifies the applicable industry code list source information.

Department of Defense (DoD)

<u>Ref</u>	<u>ld</u>	Element Name	Req	<u>Type</u>	Min/Max	<u>Usage</u>	<u>Rep</u>
LM01	559	Agency Qualifier Code	М	ID	2/2	Must use	1
		Description: Code identifying the agency assigning the code values					
		Code Name					
		DF Department of Defense (DoD)				

LQ Industry Code

Pos: 1050 Max: >1
Detail - Mandatory
Loop: LM Elements: 2

User Option (Usage): Must use

Purpose: Code to transmit standard industry codes

Syntax Rules:

1. C0102 - If LQ01 is present, then LQ02 is required.

DLMS Note:

- 1. Use in the summary level response loop to identify the type of inspection.
- 2. Use in the detail level response loop to identify the supply condition applicable to the materiel identification; contract information; and quantity specified in this loop.

Element Summary:

Ref	<u>ld</u>	Element Name	<u>Req</u>	<u>Type</u>	Min/Max	<u>Usage</u>	<u>Rep</u>
LQ01	1270	Code List Qualifier Code	0	ID	1/3	Used	1

Description: Code identifying a specific industry code list

DLMS Note: The following codes

are authorized.

Code Name

D Court Document Type Code

DLMS Note:

- 1. Must use to identify the Type Document Code.
- 2. Type Document Code S is the only valid entry for this transaction.
- 83 Supply Condition Code

DLMS Note:

Use to identify the condition of the screened materiel.

EZ Type Inspection Code

DLMS Note:

- 1. Must use to identify Type Inspection Code assigned to this stock screening action.
- 2. Cite the applicable code in LQ02, below.
- F = Safety of Flight (SOF) Inspection (includes Aviation Safety Action Message (ASAM))
- P = Special Inspection at Single Location
- U= Safety of Use (SOU) Inspection
- Q = Quality Related Inspection
- R = Reimbursable Special Inspection
- X = Critical Safety Item (CSI) Inspection
- Z = Suspect Counterfeit Inspection
- 3. Refer to ADC 1045; target implementation 1Q FY 2017. Pending implementation, the following codes will remain available for use:
- A Aviation Safety Action Message (ASAM)
- O Outbound Shipment

Code Name

T Stock Readiness

COG Cognizance Symbol

DLMS Note:

1. Use to identify the materiel cognizance symbol (COG) of the end item. Applicable to US Navy screening requests.

2. Refer to ADC 1045; target implementation 1Q FY 2017.

LQ02 1271 Industry Code

X AN

1/30

Used

1

Description: Code indicating a code from a specific industry code list

NCD Nonconformance Description

Pos: 2300 Max: 1
Detail - Optional
Loop: NCD Elements: 2

User Option (Usage): Used

Purpose: To describe the nonconformance condition

Syntax Rules:

1. R0102 - At least one of NCD01 or NCD02 is required.

detail loop.

DLMS Note:

- 1. Use in the summary level response loop to satisfy syntax when providing remarks in the NTE segment.
- 2. Use in the detail level response loop to identify whether or not a Storage Quality Control Report will be provided.

Ref NCD02	<u>Id</u> 888	Element Name Nonconformance Determination Code	Req X	<u>Type</u> ID	Min/Max 1/1	<u>Usage</u> Used	<u>Rep</u> 1		
		Description: Code indicating whether a nonconforming condition was the reason for submitting or the basis upon which a nonconformance report is initiated							
		Code Name							
		5 Discrepant							
		DLMS Note:							
		For all transactions, use to satisfy X12 syntax.							
NCD03	350	Assigned Identification	0	AN	1/20	Used	1		
		Description: Alphanumeric characters assigned for differentiation within a transaction set							
		DLMS Note: 1. For the summary level loop, cite numeric 1.							
		2. For detail level loops, use to indicate whether a Storage Quality Control Report, (DLMS 842SQ or DD 1225) will be prepared. Must cite either Y (yes) or N (no) in each							

NTE Note/Special Instruction

Pos: 2400 Max: >1
Detail - Optional
Loop: NCD Elements: 2

User Option (Usage): Used

Purpose: To transmit information in a free-form format, if necessary, for comment or special instruction

Comments:

 The NTE segment permits free-form information/data which, under ANSI X12 standard implementations, is not machine processible. The use of the NTE segment should therefore be avoided, if at all possible, in an automated environment.

DLMS Note:

Use only in the summary level response loop.

Element Summary:

<u>Ref</u>	<u>ld</u>	Eleme	ent Name	Req	<u>Type</u>	Min/Max	<u>Usage</u>	Rep	
NTE01	363	Note Reference Code		0	ID	3/3	Used	1	
		functio	iption: Code identifying the onal area or purpose for the note applies						
		<u>Code</u>	<u>Name</u>						
		VEC	Verification Comments						
			DLMS Note:						
			 Use to provide comments from the storage location for this stock screening action. Use multiple repetitions of the NTE segment as needed; the maximum cumulative field length of the NTE02 elements is 750 characters. 						
NTE02	352	Descr	iption	M	AN	1/80	Must use	1	

Description: A free-form description to clarify the related data elements and their content

SE Transaction Set Trailer

Pos: 4700 Max: 1 Detail - Mandatory Loop: N/A Elements: 2

User Option (Usage): Must use

Purpose: To indicate the end of the transaction set and provide the count of the transmitted segments (including the beginning (ST) and ending (SE) segments)

Comments:

1. SE is the last segment of each transaction set.

<u>Ref</u>	<u>ld</u>	Element Name	Req	<u>Type</u>	Min/Max	<u>Usage</u>	Rep
SE01	96	Number of Included Segments	М	N0	1/10	Must use	1
		Description: Total number of segments included in a transaction set including ST and SE segments					
SE02	329	Transaction Set Control Number	М	AN	4/9	Must use	1
		Description: Identifying control number that must be unique within the transaction set functional group assigned by the originator for a transaction set DLMS Note: Cite the same number as the one cited in ST02.					